


Finishes



priceindustries.com

FINISHES

POWDER COAT



SYSTEM COMPARISON AND PROPERTIES

Property	Price Powder Coat	Electrodeposition
Film Thickness	2.00 - 3.00 Mils	0.08 - 1.00 Mils
Hardness	2H	1H
Salt Spray Exposure	1,000 Hours	96 Hours
Impact Resistance	80 inlb.	80 inlb.

NOTE: The colors reproduced on this Paint Finish Chart have been reproduced as accurately as possible within the limits of printed ink color reproduction technology. Colors on this chart may fade or discolor after exposure to sunlight or from age. Colors may appear to vary in actual use due to area, surface sheen, lighting (artificial or natural) or application. Therefore, variations in color or shade must be expected - we cannot guarantee otherwise. **Please contact your local Price Representative for an actual sample supplied on the material of construction specified.**

"OUR PAINT PROCESS ENSURES EXACTING QUALITY FOR EVERY ORDER"

Price manufacturing facilities are equipped with the most modern finishing systems available. Winnipeg, Atlanta and Phoenix have state-of-the-art powder coat paint facilities which provide an exceptional even paint finish that is durable and resistant to wear. Utilizing a conveyorized material movement system, our paint process ensures exacting quality for every order through a carefully monitored system of pre-treatment, application and curing technology.

Price Powder Coat Technology is markedly superior to the Electrodeposition (E-Coat) system used by most Air Distribution Manufacturers and provides an extremely durable finish that is resistant to scratching, corrosion, and rough handling.

Our paint systems are extremely flexible, allowing the handling of large single-piece sections of varying size and proportion. The inclusion of additional liquid spray facilities provides alternate means to meet your unique requirements. The finishes shown in this brochure represent our expansive range of standard colors. In addition, we offer a full range of special finishes including custom colors, anodizing and a range of unique finish options.

STANDARD FINISHES

Price B12 White is our standard finish for all grilles, registers, and diffusers. Price B12 White and Price Optional Colors B15, B17, and PC12 finishes exhibit exceptional hardness, color fastness and resistance to chipping, marring and abrasion. Finishes have been tested to the latest applicable ASTM standards for durability and resistance to degradation from hospital grade cleaning solutions. This is particularly critical for pharmaceutical, biosafety and medical applications where surfaces must be cleaned regularly to prevent biological growth. All finishes are colorfast (non-yellowing) and very durable.

ANTIMICROBIAL ADDITIVE



Price is proud to offer our customers the option of adding an antimicrobial additive to their paint finish. This additive can be added to any of our standard powder colors and will prevent the growth of micro-organisms on any painted surface. Please contact your local Price Representative for further information.

SALT SPRAY EXPOSURE



Price Industries is the only GRD manufacturer whose paint finish surpasses a 1000-hour salt spray test. Utilizing a conveyorized material movement system, our paint process ensures exacting quality for every order through a carefully monitored system of pre-treatment, application and curing technology.

SIMULATED ANODIZED & CUSTOM COLORS

Price offers Duracron and Duranar paint based on customer requirements. Combining color permanence with low maintenance Duracron finishes meet or exceed physical test requirements of AAMA specification 2603. Duracron provides good film integrity, color control, impact and mar resistance and is available in a wide range of durable colors which are no longer limited to earth tones and include metallics, vibrant colors and pearlescents options. Duranar is formulated to perform well against weathering in normal environments and is highly resistant to chalking, chipping, peeling and fading and protects against chemical staining and environmental stresses such as dirt, UV and acid rain.

Simulated anodized metallics are available in four standard colors or can be matched as closely as possible to actual anodized samples. Custom colors can be accurately matched to supplied color samples, utilizing Price Color Spectrophotometric Analysis equipment. This state-of-the-art computerized color control system enables Price to match almost any color requirement (with the exception of specific bright colors which do not comply with the Price environmental policy as they contain chromium and lead).

priceindustries.com

UNITED STATES

2975 Shawnee Ridge Court Suwanee, Georgia USA 30024

PH: 770.623.8050 FAX: 770.623.6404

CANADA

638 Raleigh Street Winnipeg, Manitoba Canada R2K 3Z9 PH: 204.669.4220 FAX: 204.663.2715

Product Improvement is a continuing endeavour at Price. Therefore, specifications are subject to change without notice. Consult your Price Sales Representative for current specifications or more detailed information. Not all products may be

available in all geographic areas. All goods described in this brochure are warranted as described in the Limited Warranty shown at priceindustries.com. The complete Price product catalog can be viewed online at priceindustries.com.



® Price is a registered trademark of Price Industries Limited. © 2017. Printed in Canada 2017 | v100